


# Get attached.

## TECHNICAL PRODUCT CATALOG 2023

SKU	COLOR
SCAS10030	Aspen
SCAS10010	Cambridge
SCAS10090	Redwood
SCAS10080	Glacier
SCAS10040	Yukon

UOM	Weight / Box	SqFt / Box	Pcs / Box	Boxes / Pallet
BOX	135	10	5	16

The Ridge Cut series stone sizes are 2", 4", and 6" tall and varying lengths from 3.5" to 15"




2




SKU	COLOR
SCAS10031	Aspen
SCAS10011	Cambridge
SCAS10091	Redwood
SCAS10081	Glacier
SCAS10041	Yukon

UOM	Weight / Box	SqFt / Box	Pcs / Box	Boxes / Pallet
BOX	135	10	5	16

'Corners' are exactly the same as flats but have a textured finish on the outside edges of the panel. Corner panels are used for outside corners only. Use 'Flat' panels for inside corners.









SKU	COLOR
SCAS05030	Aspen
SCAS05010	Cambridge
SCAS05090	Redwood
SCAS05080	Glacier
SCAS05040	Yukon

UOM	Weight / Box	SqFt / Box	Pcs / Box	Boxes / Pallet
BOX	135	10	5	16

The Cliff Ledge series stone sizes are 1.5" and 3" tall and varying lengths from 3.5" to 15"









SKU	COLOR
SCAS05031	Aspen
SCAS05011	Cambridge
SCAS05091	Redwood
SCAS05081	Glacier
SCAS05041	Yukon

UOM	Weight / Box	SqFt / Box	Pcs / Box	Boxes / Pallet
BOX	135	10	5	16

'Corners' are exactly the same as flats but have a textured finish on the outside edges of the panel. Corner panels are used for outside corners only. Use 'Flat' panels for inside corners.








SKU		COLOR	
SCAS60270		GRAY	
SCAS60280		CHARCOAL	
SCAS60290		IVORY	
SCAS60300		SANDSTONE	
STONE COLOR	COMPLEMENT		CONTRAST
ASPEN	GRAY		IVORY/CHARCOAL
CAMBRIDGE	GRAY/SANDSTONE		IVORY
REDWOOD	GRAY/SANDSTONE		IVORY
GLACIER	IVORY		CHARCOAL
YUKON	CHARCOAL		IVORY

UOM	Weight	Pcs / Box	Weight / Box	Boxes / Pallet
EACH	8	8	64	28

## **Application:**

Traditional installation of stone panels, then wainscot cap, then siding






SKU		COLOR	
SCAS60272		GRAY	
SCAS60282		CHARCOAL	
SCAS60292		IVORY	
SCAS60302		SANDSTONE	
STONE COLOR	COMPLEMENT		CONTRAST
ASPEN	GRAY		IVORY/CHARCOAL
CAMBRIDGE	GRAY/SANDSTONE		IVORY
REDWOOD	GRAY/SANDSTONE		IVORY
GLACIER	IVORY		CHARCOAL
YUKON	CHARCOAL		IVORY

UOM	Weight	Pcs / Box	Weight / Box	Boxes / Pallet
EACH	8	8	64	28

#### **Application:**

Installed where there isn't room for the nailing strip on top such as under windows. These are installed before the stone panels and then the panels are cut to height and slid in under the wainscot cap.






SKU	UOM	WT / PC	HEIGHT	LENGTH
SCAFSS096	EACH	0.375	4"	96"

### **Application:**

The Affinity Starter strip is a non-load-bearing product. Its function is solely to keep the bottom of the first course from pulling away from the wall. When installing your first course, always shim up the panel so it's level and flush with the panel next to it. **NEVER** rely on the starter strip for panel placement.





SKU COLOR		WEIGHT / KIT	
SCAS-CK53-005	Cliff Ledge Column Kit	230	
SCAS-CK50-010	Ridge Cut Column Kit	230	

The total kit weight is 230#.

When ordering a column kit, the post size, stone selection, and cap color need to be specified.


Post Sizes Available:


- 4x4
- 5x6, 6x6 (same framing different cap)
- 8x8


Kit includes:

- Framing
- 12 7" screws
- Starter Strip
- Stone Panels
- Pre-Cut Cap

\_\_\_\_\_14.00 \_\_\_\_\_











The outside dimensions of the pre-cut cap are all the same for all sizes. The flat surface has an OD of 22" with the texture reaching just beyond that as seen on the measurements below.

The cutout (for the post) is the only thing that changes. The cap is available in all four accessory colors.








SKU	Color	Description	Length	Weight per piece
SCAF-TR200-098	BLACK	2"X2"	98"	3.4
SCAF-TR201-098	GRAY	2"X2"	98"	3.4
SCAF-TR202-098	STONE	2"X2"	98"	3.4
SCAF-TR203-098	CLAY	2"X2"	98"	3.4

The Metal Edge Trim is used when rain screen (air gap behind panel) is exposed.





## www.AffinityStone.com

Manufactured by Stone Creek Products, LLC 366 E SR 133, Arthur, IL, 61911 T: (217) 543-3875 F: (217) 543-3877